


# NASTAVITEV PROTOTIPNE RISBE – BRICSCAD

(komentar: zeleni teksti so ukazi, ki jih tipkate)


**NEW**

Kot osnovo vzamemo **Default-mm.dwt**



## 1 – UNITS

Nastavitev enote v kateri rišemo.




## 2 – LIMITS

Nastavitev področja risanja:


Lower left corner: 0,0

Upper right corner: 2000, 1500




### 3 – DSETTINGS

Nastavitev pomožne risarske mreže imenovane GRID:




### 4 – DSETTINGS

Nastavitev preskoka nitnega križa ob aktivnem ukazu imenovana SNAP:




### 5 – STYLE

Nastavitev stila teksta.



## 6 – DIMSTYLE

Nastavitev stila kotiranja.



Nastavitev posameznih elementov kot:

Lines and Arrows		Text	
Tick size	0 cm	Text style	TEKST H-15
Arrow size	15 cm	Text color	ByBlock
Arrowheads	No	Text fill	No fill
Arrow	→ Closed filled	Text fill color	ByBlock
Arrow 1	→ Closed filled	Text height	15 cm
Arrow 2	→ Closed filled	Draw frame around text	No
Leader arrow	→ Closed filled	Text position vertical	Above
Dim line color	ByBlock	Text position horizontal	Centered
Dim line type	ByLayer	Text offset	3
Dim line LW	ByBlock	Text vertical offset	3
Dim line ext	10 cm	Text inside align	No
Dim baseline spacing	40 cm	Text outside align	No
Dim line 1	Yes	Text view direction	Left to right
Dim line 2	Yes	<b>Fit</b>	
Ext line color	ByBlock	Arrow and text fit	Best fit
Ext line LW	ByBlock	Text inside	Yes
Ext line ext	10 cm	Dim line inside	No
Ext line offset	0 cm	Text movement	Keep dim line with text
Ext line 1	Yes	Dim scale overall	1
Ext line 2	Yes	Place text manually	No
Ext line type 1	ByLayer	Dim line forced	Yes
Ext line type 2	ByLayer	<b>Primary units</b>	
Ext line fixed	Yes	Dim units	Decimal
Ext line fixed length	10 cm	Dim precision	0
Center mark	Mark		
Center mark size	10		

## 7 – MLEADERSTYLE

Izdelava in nastavitev stila oznak:

